

Kim Geisinger

General Reliance List *in Addition to Materials Referenced in Report*

MDL Wave 4

Medical Literature

Abdel-Fattah M, Mostafa A, Familusi A, Ramsay I, James ND. [Pop 341, 1-3 yr fu] Prospective randomised controlled trial of transobturator tapes in management of urodynamic stress incontinence in women: 3-year outcomes from the Evaluation of Transobturator Tapes study. <i>Eur Urol</i> (2012) 62:843-851
Abdelmonem AM. Vaginal length and incidence of dyspareunia after total abdominal versus vaginal hysterectomy. <i>European Journal of Obstetrics & Gynecology and Reproductive Biology</i> 151 (2010) 190-192
Abdelwahab O, Shedid I, Al-Adi AM. [Pop 60, 9 mo fu] Tension-free vaginal tape versus secure tension-free vaginal tape in treatment of female stress urinary incontinence. <i>Curr Urol</i> 2010;4:93-98.
Abed H. Incidence and management of graft erosion, wound granulation, and dyspareunia following vaginal prolapse repair with graft materials: a systematic review. <i>Int Urogynecol J</i> ; 2011;11:1384-95.
Aigmueller T, et al. [10 yr fu] Ten-year follow-up after the tension-free vaginal tape procedure. <i>Am J Obstet Gynecol</i> . 2011; 205:496.e1-5.
Altman MD, et al. Anterior Colporrhaphy versus Transvaginal Mesh for Pelvic-Organ Prolapse. <i>N Engl J Med</i> 2011;364:1826-36
Amid PK. Classification of biomaterials and their related complications in abdominal wall hernia surgery. <i>Hernia</i> : 1997;1:15-21.
Athanasios S. Grigoriadis T, Zacharakis D, Skampardonis N, Lourantou D, Antsaklis A. [Pop 124, 7 yr fu] Seven years of objective and sub-jective outcomes of transobturator (TVT-O) vaginal tape: why do tapes fail? <i>Int Urogynecol J</i> (2014) 25:219-225
Barone, Abramowitch, Moalli. Host Response to Biomaterials for Pelvic Floor Reconstruction. Ch. 13 (2015)
Benbouzid S, et al. Pelvic organ prolapse transvaginal repair by the Prolift system: evaluation of efficacy and complications after a 4.5 years follow up. <i>Int J Urol</i> 2012;19:1010-1016.
Bendavid, Iakovlev, et al. A mechanism of mesh-related post-herniorrhaphy neuralgia. <i>Hernia</i> (2015).
Bendavid, Iakovlev. Mesh-Related SIN Syndrome. A Surreptitious Irreversible Neuralgia and Its Morphologic Background in the Etiology of Post-Herniorrhaphy Pain. <i>International Journal of Clinical Medicine</i> , 2014, 5, 799-810
Bernasconi F, et al. TVT SECUR System: Final results of a prospective, observational, multicentric study. <i>Int Urogynecol J</i> (2012) 23:93-98
Bianchi-Ferraro AM, et al. Randomized controlled trial comparing TVT-O and TVT-S for the treatment of SUI: 2 year resultsRandomized controlled trial comparing TVT-O and TVT-S for the treatment of stress urinary incontinence: 2-year results. <i>Int Urogynecol J</i> 2014 Oct;25(10):1343-8.
Blaivas J, Iakovlev. Safety considerations for synthetic sling surgery. <i>Nat. Rev. Urol.</i> (2015)
Blaivas, Mekel. Management of urinary fistulas due to midurethral sling surgery. <i>J Urol</i> (2014), doi: 10.1016/j.juro.2014.04.009.
Boulanger L, Boukerrou M, Lambaudie E, Defossez A, Cosson M. Tissue integration and tolerance to meshes used in gynecologic surgery: an experimental study, <i>Eur J Obstet Gynecol Reprod Biol</i> 2006; 125(1): 103-8.
Boulanger L. Bacteriological Analysis Of Meshes Removed For Complications After Surgical Management of Urinary Incontinence or Pelvic Organ Prolapse. <i>Int Urogynecol J</i> (2008) 19: 827-831
Boulanger. Development of an animal model to study meshes used in genital prolapse surgery. <i>European Journal of Obstetrics & Gynecology and Reproductive Biology</i> 136 (2008) 254-259
Brown, Abramowitch, Moalli, et al. Characterization of the host inflammatory response following implantation of prolapse mesh in rhesus macaque. <i>Am J Ostet Gynecol</i> (2015), 213:668.e1-10. doi:10.1016/j.ajog.2015.08.002.

Medical Literature

Brubaker L, et al. Adverse events over two years after retropubic or transobturator midurethral sling surgery: Findings from the trial of midurethral slings (TOMUS) Study. Am J Obstet Gynecol 2011;205:498e.1-6
Capobianco G. TVT-Abbrevio: efficacy and two years follow-up for the treatment of stress urinary incontinence. Clin Exp Obstet Gynecol 2014; 41(4): 445-447
Carey M, et al. Vaginal repair with mesh versus colporrhaphy for prolapse; a randomized controlled trial. BJOG 2009;116:1380-1386.
Clave A, et al. Polypropylene as a reinforcement in pelvic surgery is not inert: comparative analysis of 100 explants. Int Urogynecol J (2010) 21: 261-270
Collinet P. The safety of the inside-out transobturator approach for transvaginal tape (TVT-O) treatment in stress urinary incontinence: French registry data on 984 women. Int Urogynecol J (2008) 19:711-715
Costello CR, et al. Characterization of Heavyweight and Lightweight Polypropylene Prosthetic Mesh Explants from a Single Patient. Surgical Innovation 2007; 14(3): 168-176.
Costello, et al. Materials Characterization of Explanted Polypropylene Hernia Meshes. J Biomed Mater Res Part B: Appl Biomater 83B: 44-49, 2007
Cox A, Herschorn S, Lee L. [Nat Rev Urol] Surgical management of female SUI: is there a gold standard? Nat Rev Urol. 2013 Feb;10(2):78-89.
Cozad, Ramshaw et al. Materials characterization of explanted polypropylene, polyethylene terephthalate, and expanded polytetrafluoroethylene composites: Spectral and thermal analysis. (2010) Wiley InterScience
de Landsheere L. Surgical intervention after transvaginal Prolift mesh repair: retrospective single-center study including 524 patients with 3 years' median follow-up. Am J Obstet Gynecol 2012;206:83.e1-7
de Leval J, Thomas A, Waltregny D. [Pop 175, 1 yr f_u] (Abbrevio) The original versus a modified inside-out transobturator procedure: 1-year results of a prospective randomized trial. Int Urogynecol J 2011;22:145-156.
Deng D, et al. Presentation and Management of Major Complications of Midurethral Slings: Are Complications Under-reported? Neurourol Urodynam. 2007. 26:46-52.
Deprest J, et al. The biology behind fascial defects and the use of implants in pelvic organ prolapse repair. Int Urogynecol J (2006) 17:S16-S25.
Dietz HP, et al. [Pop 68, median 1.6 yrs fu] Does the Tension-Free Vaginal tape stay Where you Put It? Am J Obstet Gynecol 2003; 188:950-3
Elmer C, et al. Histological inflammatory response to transvaginal polypropylene mesh for pelvic reconstructive surgery, J Urol (2009), 181 (3), 1189-95.
Engelsman. In Vivo Evaluation of Bacterial Infection Involving Morphologically Different Surgical Meshes. Ann Surg 2010;251: 133-137
Falconer C, Ulmsten U. Influence of Different Sling Materials on Connective Tissue Metabolism in Stress Urinary Incontinent Women. Int Urogynecol J (2001) (Suppl 2): S19-S23
Ford AA, et al. (Cochrane Review[FULL]) Mid-urethral sling operations for stress urinary incontinence in women. (2015)
Gad N. Outcome of Prolift mesh repair in treatment of pelvic organ prolapse and its effect on lower urinary tract symptoms: 5-year retrospective case study, J Obstet Gynaecol Res. 2013 Jan;39(1):243-9
Govier F. et al. Complications of transvaginal silicone-coated polyester synthetic mesh sling. Urology 66 (4). 2005

Medical Literature

Groutz A, Rosen G, Cohen A, Gold R, Lessing JB, Gordon D. [Pop 52, 10 yr fu] Ten-year subjective outcome results of the retropubic tension-free vaginal tape for treatment of stress urinary incontinence. <i>J Minim Invasive Gynecol</i> (2011) 18:726-729
Halaska M, et al. A multicenter, randomized, prospective, controlled study comparing sacrospinous fixation and transvaginal mesh in the treatment of posthysterectomy vaginal vault prolapse. <i>Am J Obstet Gynecol</i> . 2012 Oct;207(4):301.e1-7
Hazewinkel M. Persistent groin pain following a trans-obturator sling procedure for stress urinary incontinence: a diagnostic and therapeutic challenge. <i>Int Urogynecol J</i> (2009) 20:363-365
Heinonen P. [Pop 191, mean 10.5 yrs fu] Tension-free vaginal tape procedure without preoperative urodynamic examination: Long-term outcome. <i>Int J Urol</i> 2012; 19:1003-1009
Hill, Barber, et al. [Pop 130] Histopathology of excised midurethral sling mesh. <i>Int Urogynecol J</i> (2015) 26:591-595
Hinoul P. Anatomical variability in the trajectory of the inside-out transobturator vaginal tape technique (TVT-O). <i>Int Urogynecol J</i> (2007) 18:1201-1206
Hinoul, Waltregny, de Leval. (IUJ) An anatomic comparison of the original versus a modified inside-out transobturator procedure. <i>Int Urogynecol J</i> (2011) 22:997-1004
Huffaker K et al. Histologic response of porcine collagen-coated and uncoated polypropylene grafts in a rabbit vagina model. <i>Am J Obstet Gynecol</i> 2008;198:582.e1-582.e7.
Iakovlev, Guelcher, Bendavid. Degradation of polypropylene in vivo: A microscopic analysis of meshes explanted from patients. <i>J Biomed Mater Res Part B</i> (2015)
Jacquetin B, et al. Total transvaginal mesh technique for treatment of pelvic organ prolapse: a 3-year prospective follow-up study. <i>Int Urogynecol J</i> (2010) 21: 1455-1462
Jamieson DJ and Steege JF. The Prevalence of Dysmenorrhea, Dyspareunia, Pelvic Pain and Irritable Bowel Syndrome in Primary Care Practices. <i>Obstet Gynecol</i> , 1996; 87:1, 55-58
Kao A, et al. Dyspareunia in postmenopausal women: A critical review. <i>Pain Res Manage</i> 2008; 13(3): 243-254
Karlovsy M. Synthetic Biomaterials for Pelvic Floor Reconstruction. <i>Current Urology Report</i> 2005; 6:376-384
Kelly, et al. [+Supplementary] In vivo response to polypropylene following implantation in animal models: a review of biocompatibility. <i>Int Urogynecol J</i> (2016).
Khan ZA, Thomas L, Emery SJ. Outcomes and complications of trans-vaginal mesh repair using the Prolift kit for pelvic organ prolapse at 4 years median follow-up in a tertiary referral centre. <i>Arch Gynecol Obstet</i> (2014) 290:1154-1157.
Khandwala S, et al. [Pop 141, mean 14 mo fu] Experience with TVT-Secur sling for stress urinary incontinence: a 141-case analysis. <i>Int Urogynecol J</i> (2010) 21:767-772
King A. Is there an association between polypropylene midurethral slings and malignancy. <i>Urology</i> 84: 789-792, 2014
King AB, Goldman HB. Current controversies regarding oncologic risk associated with polypropylene midurethral slings. <i>Curr Urol Rep</i> (2014) 15:453.
Klinge U. Alloplastic Implants for the Treatment of Stress Urinary Incontinence and Pelvic Organ Prolapse. <i>Hernia Repair Sequelae</i> (2010), Ch. 56, 440-444
Klinge, Klosterhalfen. Modified classification of surgical meshes for hernia repair based on the analysis of 1,000 explanted meshes. <i>Hernia</i> (2012) 16: 251-258
Klosterhalfen, Junge, Klinge, et al. The lightweight and large porous mesh concept for hernia repair. <i>Expert Rev. Med. Devices</i> 2(1) 2005.
Klosterhalfen, Junge, Klinge. Influence of implantation interval on the long-term biocompatibility of surgical mesh. <i>British Journal of Surgery</i> (2002), 89, 1043-1048

Medical Literature

Laurikainen E, Valpas A, Aukee P, Kivelä A, Rinne K, Takala T, Nilsson CG. [Pop 254, 5 yr fu] Five-year results of a randomized trial comparing retropubic and transobturator midurethral slings for stress incontinence. Eur Urol (2014) 65:1109-1114
Lee J, et al. [Pop 283, 1 yr fu] ICS Abs 5 - A Prospective Multicenter Randomized Comparative Study Between the U-and H-type Methods of the TVT Secur Procedure for the Treatment of Female Stress Urinary Incontinence: 1-Year Follow-up. (2009)
Liapis A, Bakas P, Creatsas G. [Pop 65, 5 & 7 yr fu] Long-term efficacy of tension-free vaginal tape in the management of stress urinary incontinence in women: efficacy at 5- and 7-year follow-up. Int Urogynecol J Pelvic Floor Dysfunct (2008) 19:1509-1512
Liebert, et al. Subcutaneous Implants of Polypropylene Filaments. J Biomed Mater Res, Vol. 10, PP 939-951 (1976)
Lin AT, et al. In vivo tension sustained by fascial sling in pubovaginal sling surgery for female stress urinary incontinence. J Urol. 2005 Mar;173(3):894-7.
Linder BJ, et al. Evaluation of the local carcinogenic potential of mesh used in the treatment of female stress urinary incontinence. Int Urogynecol J (2016).
Lo TS, et al. Ultrasound assessment of mid-urethra tape at three-year follow-up after tension-free vaginal tape procedure. Urology 63:671-675, 2004
Lowman JK, Hale DS, et al. Does the Prolift system cause dyspareunia? AJOG 2008; 199:707.e1-707.e6
Lucas MG, et al. EAU Guidelines on Surgical Treatment of Urinary Incontinence. Eur Urol (2012) 62:1118-1129.
Lukacz ES, et al. [Pop 54, 1 yr fu] The effects of the tension-free vaginal tape on proximal urethral position: a prospective, longitudinal evaluation. Int Urogynecol J Pelvic Floor Dysfunct. 2003 Aug;14(3):179-84.
Maher C, et al. (full 141pp) Transvaginal mesh or grafts compared with native tissue repair for vaginal prolapse (Review). The Cochrane Collaboration (2016)
Maher C. Surgical management of pelvic organ prolapse in women. Cochrane Review (2013).
Meschia M. [IUGA Abs. 059] Multicenter randomized trial of tension-free vaginal tape (TVT) and Tran-obturator in-out technique (TVT-O) for the Treatment of Stress urinary Incontinence. Int Urogynecol J. (2006) 17 (Suppl. 2): S57-S100
Mesh Structure Table
Miller D, Lucente V, Babin E, Beach P, Jones P, Robinson D. [AUGS Abs Paper 24] Prospective Clinical Assessment of the Transvaginal Mesh Technique for Treatment of Pelvic Prolapse: 5-Year Results. Female Pelvic Med Reconstr Surg 2011;17: 139-143
Moalli PA, et al. Tensile Properties of five commonly used mid-urethral slings relative to the TVT. Int Urogynecol J (2008) 19:655-663.
Moalli, Nager, et al. Polypropylene mesh: evidence for lack of carcinogenicity. Int Urogynecol J (2014).
Muhl, Klinge. New Objective Measurement to Characterize the Porosity of Textile Implants. J Biomed Mater Res Pan B: Appl Biomater 84B: 176-183, 2008
Nambiar A, Cody JD, Jeffery ST. Single-incision sling operations for urinary incontinence in women. Cochrane Database Syst Rev 6 (2014) :CD008709
Nguyen J, Burchette. Outcome after Anterior Vaginal Prolapse Repair; A randomized Controlled Trial. Obstet Gynecol 2008;111;891-8
Nieminen K. Outcomes after anterior vaginal wall repair with mesh: a randomized, controlled trial with a 3 year follow-up. Am J Obstet Gynecol 2010;203:235.e1-8.

Medical Literature

Nilsson C. Creating a gold standard surgical procedure: the development and implementation of TVT. <i>Int Urogynecol J</i> 2015; 26(4): 467-469
Nilsson CG, Palva K, Aarnio R, Morcos E, Falconer C. [Pop 58, 17 yrs fu] Seventeen years' follow-up of the tension-free vaginal tape procedure for female stress urinary incontinence. <i>Int Urogynecol J</i> (2013) 24: 1265-1269
Nilsson CG. Eleven years prospective follow-up of the tension-free vaginal tape procedure for treatment of stress urinary incontinence. <i>Int Urogynecol J</i> (2008) 19: 1043-1047
Nolfi, Abramowitch, Moalli, et al. [Explant histo review] Host response to synthetic mesh in women with mesh complications. <i>Am J Obstet Gynecol</i> 2016; 215: 206.e1-8.
Ogah J. (Short Cochrane Rev) Minimally Invasive Synthetic Suburethral Sling Operations for Stress Urinary Incontinence in Women: A Short Version Cochrane Review. <i>Neurourology and Urodynamics</i> (2011) 30:284-291
Olsson I, Abrahamsson AK, Kroon UB. Long-term efficacy of the tension-free vaginal tape procedure for the treatment of urinary incontinence: a retrospective follow-up 11.5 years post-operatively. <i>Int Urogynecol J</i> (2010) 21:679-683
Ong, Thames, White. [IUGA Abs PP 19] The Myth: In Vivo Degradation of Polypropylene Meshes. <i>Int Urogynecol J</i> (2016) 27 (Suppl 1):S37-S38.
Pulliam S. Use of synthetic mesh in pelvic reconstructive surgery: a survey of attitudes and practice patterns of urogynecologists. <i>Int Urogynecol J</i> (2007) 18:1405-1408
Richter HE, Alba ME, Zyczynski HM, et al. (TOMUS) Retropubic versus transobturator midurethral slings for stress incontinence. <i>N Eng J Med</i> (2010); 362:2066-2076.
Schimpf MO, Rahn DD, Wheeler TL et al. (published) [meta-analysis] Sling surgery for stress urinary incontinence in women: a systematic review and meta-analysis. <i>Am J Obstet Gynecol</i> (2014) 211:71.e1-71.e27
Schimpf, Murphy, et al. (SGS) Graft and Mesh Use in Transvaginal Prolapse Repair: A Systematic Review. <i>Obstet Gynecol</i> 2016; 0:1-11
Serati M, et al. [Pop 191, 5 yr fu] TVT-O for the treatment of Pure Urodynamics Stress Incontinence: Efficacy, Adverse Effects, and Prognostic Factors at 5-Year Follow-up. <i>European Urology</i> 63 (2013) 872-878
Serati M, Ghezzi F, Cattoni E, Braga A, Siesto G, Torella M, Cromi A, Vitobello D, Salvatore S. [Pop 58, but 10 yrs fu] Tension-free vaginal tape for the treatment of urodynamic stress incontinence: efficacy and adverse effects at 10-year follow-up. <i>Eur Urol</i> (2012) 61:939-946
Shin YS, et al. [Pop 46, 2 yr fu] Efficacy and Safety of the TVT-Secur and Impact on Quality of Life in Women with Stress Urinary Incontinence: A 2-Year Follow-up. <i>Korean J Urol</i> 2011;52:335-339
Sivaslioglu AA. A randomized comparison of polypropylene mesh surgery with site-specific surgery in the treatment of cystocele. <i>Int Urogynecol J</i> (2008) 19:467-471
Smith TM, et al. Pathologic evaluation of explanted vaginal mesh: interdisciplinary experience from a referral center, <i>Female Pelvic Med Reconstr Surg</i> (2013) 19(4): 238-41.
Sobhgol SS, Charndabee SMA. Rate and related factors of dyspareunia in reproductive age women: a cross-sectional study, <i>Int. J. Impot. Res.</i> (2007) 19(1):88-94
Sokol A, et al. One-year objective and functional outcomes of a randomized clinical trial of vaginal mesh for prolapse, <i>Am J Obstet Gynecol.</i> 2012 Jan;206(1):86.e1-9
Stanford EJ. Traditional native tissue versus mesh-augmented pelvic organ prolapse repairs: providing and accurate interpretation of current literature, <i>Int Urogynecol J</i> (2012) 23:19-28
Su T. Impact of Prolift procedure on bladder function and symptoms in women with pelvic organ prolapse, <i>Int Urogynecol J</i> (2011) 22:585-590

Medical Literature

Svenningsen R, et al. (Norwegian registry) [Pop 542, median 129 mo fu] Long-term follow-up of the retropubic tension-free vaginal tape procedure. <i>Int Urogynecol J</i> . 2013 Aug;24(8):1271-1278
Svenningsen R. [Pop 810, 10 yr fu] Risk Factors for Long-Term Failure of the Retropubic Tension-Free Vaginal Tape Procedure. <i>Neurourology and Urodynamics</i> (2013) 33:1140-1146
Talley, A. Oxidation and degradation of polypropylene transvaginal mesh. <i>J Biomater Sci Polym Ed</i> . 2017 Apr; 28(5):444-458
Tang X, et al. [Pop 94, 24 mos fu] Outcome and sexual function after transobturator tape procedure versus tension-free vaginal tape Secur: a randomized controlled trial. <i>Menopause</i> , Vol. 21, No. 6 (2014).
Tang X. [Pop 33, 12 mo fu] Short-Term Effect of TVT-Secure Procedure on Quality of Life and Sexual Function in Women with Stress Urinary Incontinence. <i>Journal of Minimally Invasive Gynecology</i> (2013) 20, 455-459
Thames, White Ong. The myth in vivo degradation of polypropylene based meshes. <i>Int Urogynecol J</i> (2016); doi: 10.1007/s00192-016-3131-4
Thames, White, Ong. Reply to Thompson's ltr "In vivo polypropylene mesh degradation is hardly a myth." <i>Int Urogynecol J</i> (2016); doi: 10.1007/s00192-016-3237-8
Thompson, Ostergard, et al. In vivo polypropylene mesh degradation is hardly a myth. <i>Int Urogynecol J</i> (2016); doi: 10.1007/s00192-016-3233-z
Tincello DG, et al. The TVT Worldwide Observational Registry for Long-Term Data: Safety and Efficacy of Suburethral Sling Insertion Approaches for Stress Urinary Incontinence in Women. <i>The Journal of Urology</i> 2011, Vol. 186, 2310-2315
Tommaselli GA, D'Afiero A, di Carlo C, Formisano C, Fabozzi A, Nappi C. Tension-free vaginal tape-O and -Secur for the treatment of stress urinary incontinence: a thirty-six-month follow-up single-blind, double-arm, randomized study. <i>J Minim Invasive Gynecol</i> (2013) 20, 198-204
Tommaselli GA, et al. Medium-term and long-term outcomes following placement of midurethral slings for stress urinary incontinence: a systematic review and metaanalysis. <i>Int Urogynecol J</i> (2015) DOI 10.1007/s00192-015-2645-5
Tommaselli GA, et al. Tension-free vaginal tape-obturator and tension-free vaginal tape-Secur for the treatment of stress urinary incontinence: a 5-year follow-up randomized study. <i>Eur J Obstet & Gynecol and Reprod Biol</i> 2015;185:151-155
Velemir, Amblard. Transvaginal mesh repair of anterior and posterior vaginal wall prolapse: a clinical and ultrasonographic study. <i>Ultrasound Obstet Gynecol</i> 2010; 35:474-480
Vervest HA, Bongers MY, van der Wurff AA. Nerve injury: an exceptional cause of pain after TVT, <i>Int Urogynecol J Pelvic Floor Dysfunct</i> (2006), 17 (6), 665-667.
Walters, Weber. [OBMgmt] Which sling for which SUI patient? <i>OBG Management</i> (2012); 24(5): 29-40
Wang AC, et al. [Pop 700, 670 TVT, 30 SPARC] A histologic and immunohistochemical analysis of defective vagina healing after continence taping procedures: A prospective case-controlled pilot study. <i>American Journal of Obstetrics and Gynecology</i> (2004) 191, 1868-74.
Withagen M, et al. Does trocar-guided tension-free vaginal mesh (Prolift™) repair provoke prolapse of the unaffected compartments? <i>Int Urogynecol J</i> (2010) 21: 271-278
Withagen M, et al. Risk Factors for Exposure, Pain, and Dyspareunia after Tension-Free Vaginal Mesh Procedure. <i>Obstet Gynecol</i> (2011) 118: 629-36.
Withagen M. [Pop 186 (Prolift 83), 1 yr fu] Trocar-Guided Mesh Compared with Conventional Vaginal Repair in Recurrent Prolapse, A Randomized Controlled Trial. <i>Obstet Gynecol</i> 2011;117:242-50

Kim Geisinger Materials List

Medical Literature

Woodruff AJ, et al. Histologic comparison of pubovaginal sling graft materials: A comparative study. Urology 72 (2008) 85-89.

Zyczynski H. [Pop 597, 2 yr fu] Sexual Activity and function in women more than 2 years after midurethral sling placement. Am J Obstet Gynecol 2012;207:421.e1-6.

Kim Geisinger Materials List

Production Materials

Document Description [Bates Range]
91 Day Tissue Integration Study
ETH.MESH.00514908-921 - 2007 13 Week PSM study on Contracture and Integration in Swine Models
ETH.MESH.00860239-310 - TVT-O IFU
ETH.MESH.02319001 - 91 Day Tissue Integration PowerPoint
ETH.MESH.02340568-755 - TVT-S
ETH.MESH.02341398-1453 - Proxima
ETH.MESH.02341658-733 - Prolift IFU
ETH.MESH.02615519 - Prolift +M
ETH.MESH.02616825 - Prolene Soft
ETH.MESH.03932909-11 - History of TVT-O
ETH.MESH.03932912-14 - History of TVT
ETH.MESH.05453719-727 - 1992 7 Year Dog Study Prolene Sutures
ETH.MESH.15955438-473 - 1983 surface cracking reports re prolene sutures in humans
ETH.MESH.22128727 - TVT-O
ETH.MESH.22128963 - Gynemesh PS
ETH.MESH.22129031 - TVT
ETH.MESH.22129185 - TVT Exact
HMESH_ETH_03034869-70 - Prolene Mesh
HMESH_ETH_11049264-328 - TVT Abbrevio

Other Materials

Publically Available
2011 AUA Position Statement on the Use of Vaginal Mesh for the Surgical Treatment of Stress Urinary Incontinence
2013 AUA SUI Patient Guide
2013 AUGS Position Statement on Restrictions of Surgical Options forPFD FINAL
2013 Sept. NICE Guideline - Urinary Incontinence: The management of urinary incontinence in women. Issued September 2013.
2014 Mar 12 - AUGS SUFU Patient FAQs MUS for SUI
2014 Mar 12 - AUGS-SUFU Provider FAQs MUS for SUI
2016 AUGS, SUFU, ACOG, SGS, AAGL, NAFC, WHF Position Statement: Mesh Midurethral Slings for Stress Urinary Incontinence.
ACOG - (FAQ081) Patient Guide to Urinary Incontinence
ACOG (1995) technical bulletin. Urinary Incontinence. No. 213 - Oct. 1995 (Replaces
ACOG (2005) Practice Bulletin 63 (Obstet Gyn) - Urinary Incontinence in Women
ACOG Patient Information Sheet (FAQ166) - Surgery for SUI (2011)
AUA - Monograph on SUI (2011)
AUA Position Statement on the Use of Vaginal Mesh for the Repair of POP
AUGS-SUFU MUS Position Statement Approved 1.3.2014
British Association of Urological Surgeons - BAUS - Synthetic Vaginal Tapes for Stress Incontinence
FDA 3.27.2013 Position Statement re Considerations about Surgical Mesh for SUI
FDA_24 Hour Summary
FDA_Executive Summary
FDA_Presentation - SUI - Pressley
ICS_Factsheets_2013_Edition - SUI - p 13 Midurethral sling the choice
IUGA (2011) - Stress Urinary Incontinence A Guide for Women

MDL Wave Cases

Depositions
Expert Reports
Iakovlev, Vladimir (Wave 1 General Report) - 01.29.16